

Work Order ID 140979

Tuesday, January 26, 2016 3:17:18 PM

646-3510
B 140979
REV. N/C3

140979

Please cut ASAP
Feb 22-23

Page 1

Item ID: 646.3510

Revision ID:

Item Name: Strut

Start Date: 1/26/2016 Start Qty: 8.00

Required Date: 1/26/2016 Req'd Qty: 8.00

Reference:

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

8 20 SA
8 20

Approvals: Process Plan: MLJ Date: JAN 28 2016 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.3500	N/C 3								

110

0.00

110

Waterjet

FLOW CNC Waterjet

Memo

0.01

1-Cut 646.3500 plate 2.75"x 1.50" as per Dwg

Dwg Rev: N/C3

Prog Rev: N/C3

2-Deburr if necessary

(24)

2/16/02/22

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Quality Control

Memo

0.00

(24)

2/16/02/22

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

140979

Tuesday, January 26, 2016 3:17:18 PM

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

g

Required Date: 1/26/2016 **Req'd Qty:** 8.00

g

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop ***NR2***

OC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Insp. Stamps

0.00

130

OC

Memo

0.00

Quality Control

FEB 22 2016

140

0.00

140

Small Fab

Memo

0.02

Small Fab

1- Fabricate tube as per dwg

150

QC5- Inspect part completeness to step on W/O

0.00

150

QC

Memo

0.00

Quality Control

JAS

38

3-89

MAR 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause		FAULT CATEGORY									
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Work Order ID 140979

Tuesday, January 26, 2016 3:17:18 PM

140979

Page 3

Item ID: 646.3510 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Strut
Start Date: 1/26/2016 Start Qty: 8.00 ***8*** Cust Item ID:
Required Date: 1/26/2016 Req'd Qty: 8.00 ***8*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Weld per dwg A/R S.S. rod Batch: <u>m123823</u>	0.00							
160									
Large Fab	Memo	0.03							
Large Fab	Weld tube to plate as per dwg. DT9867 Weld end were tube is punch.								
170	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
170									
QC	Memo	0.00							
Quality Control									
180	QC5- Inspect part completeness to step on W/O	0.00							
180									
QC	Memo	0.00							
Quality Control									

(24) ml 16/03/11

(24) 16-03-14 DAS
9
9-89

(24) 16-03-14 DAS
9
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 140979

Tuesday, January 26, 2016 3:17:18 PM

140979

Page 4

Item ID: 646.3510

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Strut

Start Date: 1/26/2016 Start Qty: 8.00

8

Cust Item ID:

Required Date: 1/26/2016 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
220		0.00							
220						24			41 9-89
SprayPaint	Memo	0.00							
Spray Painting	Prime as per dwg (see note 3)								16-3-17
	Batch: <u>133399</u>								
230	QC14- Inspect Spray Paint	0.00							
230						24			DAS 38 9-89
QC	Memo	0.00							
Quality Control									MAR 21 2016
240		0.00							
240						24			808 9-89
Packaging	Memo	0.00							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING THE P# AND REV***			CLC 108A				MAR 22 2016	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		☐ OTHER : _____							

Work Order ID 140979

140979

Page 5

Tuesday, January 26, 2016 3:17:18 PM

Item ID: 646.3510

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut

Start Date: 1/26/2016 Start Qty: 8.00

8

Cust Item ID:

Required Date: 1/26/2016 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

250

QC21- Final Inspection - Work Order Release

0.00

250

QC

Memo

0.01

Quality Control

MC

MAR 22 2016

MC MAR 22 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Picklist Print

Tuesday, January 26, 2016 3:17:17 PM

Page 1

Work Order ID: 140979

140979

Parent Item: 646.3510

646 3510

Parent Item Name: Strut

Start Date: 1/26/2016

Required Date: 1/26/2016

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP REV:A 12.10.19 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304S16GA

Purchased

No

sf

122.3000

0.234105

M304S16GA

304/316 Sheet .063

02/16/22

Location

Loc Qty

Loc Code

MAT019

122.3

m133511

58.3

m134067

64

M304TR0.500W.049

Purchased

No

f

281.8741

7.014737

M304TR0 500W 049

304 RD Tube .500 x .049W

19.54 ml 16/03/22

Location

Loc Qty

Loc Code

GA002

281.874061

M127937

2.9631

M128833

0.00003

M130099

31.79

M132872

247.120931

19.54

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 04274				SHEET 1 OF 1	
	DWG NO. 646.3500	REV: NC	PREPARED BY J. SOTO	DATE: 12/02/2013	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: STRUT					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF. NEXT ORDER		
TRANSACTION CODES (TC): A-ADD R-REVISE C-CREATE D-DELETE	REASON: REVISED DELTA NOTE 1 & 2.					

SHEET 1, ZONE A1 IS:

IS

NOTES:

- 1 MATERIAL: AISI 304/ 316 SS SHEET .062 THK
(REF DART SPEC. M304S16GA)
- 2 MATERIAL: AISI 304/316 SS 0.500 OD X 0.049 WALL
(REF DART SPEC. M304TR0.500W0.049)
ENSURE SEAMLESS TUBE IS USED
- 3 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2
COLOR BLACK;
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N
4. DEBURR AND BREAK ALL SHARP EDGES
5. WELDS IAW MIL-STD-2219.
TIG WELD WITH FILLER ROD

STANDARD
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO A. UNDESIGN
WITHIN NOTICE
140979 MWS
16-01-28

DOCUMENTS EFFECTED:

☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM

CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED



☐ YES ☒ NO

APICAL
INDUSTRIES, INC.



ENGINEERING CHANGE NOTIC. NO. 02440		SHEET 1 OF 1	
DWG NO. 646.3500	REV: NC	PREPARED BY S. HUFF	DATE 06/08/09
DWG TITLE: STRUT		EFFECT ON DWG ☐ INC. ☒ UNINC.	
APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFFECT: CURRENT ORDER AND STOCK
REASON: REVISED GEOMETRY TO ACCOMMODATE NEW EXISTING AIRCRAFT PROVISIONS			

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

SHEET 2 IS:



646.3512 SHOWS
646.3513 OPPOSITE





DOCUMENTS EFFECTED:

☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☐ FMS ☐ BOM

CHANGE CATEGORY
☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED
☐ YES ☒ NO

ENGINEERING CHANGE NOTICE NO.				02197		SHEET 1 OF 1	
DWG NO. 646.3500		REV:N/C		PREPARED BY S. HUFF	DATE: 01/05/09		EFFECT ON DWG ☐ INC. ☒ UNINC.
DWG TITLE:				STRUT			
APPROVED BY:	ENGR 	MFG 	QC 	EFF: NEXT ORDER			
REASON: REVISED ANGLE OF 646.3512 & 646.3513 FOR BETTER FITMENT							

[illegible]

☐ MDL	☐ INSTALL INSTRUC	☐ ICA	☐ FMS	☐ BOM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO
------------------------------	--	------------------------------	------------------------------	------------------------------	---	--

NOTES:


1 MATERIAL: 6061-T6 ALUMINUM IAW AMS-QQ-A-250/11;
.062" THK.

2 MATERIAL: 6061-T6 ALUMINUM IAW AMS-WW-T-700/6
.500" OD; .062" WALL THK

3 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2
COLOR BLACK;
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N

4. DEBURR AND BREAK ALL SHARP EDGES

5. WELDS IAW MIL-STD-2219.
TIG WELD WITH FILLER ROD




646.3510 SHOWN
646.3511 OPPOSITE

UNINCORPORATED ECN(S)

02197, 02440, 04274

		646.3513	STRUT	△△	△
		646.3512	STRUT	△△	△
		646.3511	STRUT	△△	△
		646.3510	STRUT	△△	△
QTY.	FIND #	PART #	DESCRIPTION	MATL	SPEC
PARTS LIST					
APICAL INDUSTRIES					
2408 TEMPLE LIGHTS DR					
OCEANSIDE, CA. 92056-3512 (760)724-5500					
STRUT					
646.3500					
SCALE: 1/8"=1"					



ORDER DATE ORDER NO. ORDER QTY ORDER PRICE ORDER TOTAL ORDER DATE ORDER NO. ORDER QTY ORDER PRICE ORDER TOTAL	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 774-5100 STRUT 646.3500 SCALE: NONE
--	--